



nuova
SIMONELLI®

PRICE LIST

Release Date: 04|07|2025

INDEX

- NUOVA AURELIA MP
- NUOVA AURELIA VOL XT
- NUOVA AURELIA VOL
- NUOVA AURELIA SEM XT
- NUOVA AURELIA SEM
- AURELIA WAVE T3
- AURELIA WAVE
- APPIA LIFE XT
- APPIA LIFE TIMER
- APPIA LIFE
- APPIA LIFE COMPACT/1 GROUP
- GRINDERS GX
- ON DEMAND GRINDERS
- GRINDERS
- PRONTOBAR TOUCH
- PRONTOBAR SILENT

nuova
SIMONELLI®

NUOVA AURELIA MP



STANDARD COLORS

- Black
- Red
- White
- Metallic Grey

Traditional coffee machine with MP technology; the material is stainless steel + abs, Display touchscreen 2,8", boiler insulation, SIS Soft infusion System, pulse jet technology, motor cooling system, led lights, autopurge, E-Steam with Electronic knob, Hot Water Economizer, Three hot water dosage, group display, automatic cleaning program, PID, Raised group (optional), hot water temperature control (optional), E-Milk technology (optional), electrical cup warmer (optional).

MODEL	FEATURES	CODE	PRICE €
2 Gr	Steam boiler: Lt. 8; Coffee Boiler 0,14lt Power: 6000W; Voltage: 220-240V; Frequency: 50/60Hz; Dim.(WxDxH):820x562x515 mm; Net/Gross weight: 79/85 Kg;	MNAURE1VMP02	11.300
3 Gr	Steam boiler: Lt. 8; Coffee Boiler 0,14lt Power: 7400W; Voltage: 380-415V; Frequency: 50/60Hz; Dim.(WxDxH):1030x562x515 mm; Net/Gross weight: 94/104 Kg;	MNAURE1VMP03	12.900

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version				
Electrical cup warmer	Full Gel System	2 Gr		280
		3 Gr		365
E-MilkTechnology	(only on the right side of the machine)			690
Electronic knob display	(only with E-milk)			
Hot water temperature control				310
Telemetry ready (API service)				250
International cerification				75
AFTER SALE				
Metal Tamper			KPCNS001	82

NUOVA AURELIA VOL XT



STANDARD COLORS

- Black
- Red
- White
- Metallic Grey

Traditional coffee machine with XT technology; the material is stainless steel + abs, Display touchscreen 2,8", sliding drip tray, boiler insulation, SIS Soft infusion System, E-Steam with Electronic knob, Hot Water Economizer, Three hot water dosage, automatic cleaning program, PID, Raised group (optional), Auto purge (optional), Double wall steam wand (optional), Group display (optional), Led lights kit (optional), Electrical programmable cup warmer (optional), motor cooling system (optional), E-Milk Technology (optional), Hot water temperature control (optional).

MODEL	FEATURES	CODE	PRICE €
2 Gr	Steam boiler: Lt. 10; Power: 4700W; Voltage: 220-240V; Frequency: 50/60Hz; Dim.(WxDxH):820x562x515 mm; Net/Gross weight: 78/84 Kg;	MNAURE1VDG02	7.200
3 Gr	Steam boiler: Lt. 15; Power: 5200W; Voltage: 380-415V; Frequency: 50/60Hz; Dim.(WxDxH):1030x562x515 mm; Net/Gross weight: 92/102 Kg;	MNAURE1VDG03	8.500

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version				
Auto-purge		2 Gr		205
		3 Gr		310
Double wall steam wand				120
Group display		2 Gr		150
		3 Gr		225
Led lights kit		2 Gr		235
		3 gr		270
Electrical programmable cup warmer	Full Gel System	2 Gr		280
		3 Gr		365
Motor cooling system				120
E-Milk Technology	(only on the right side of the machine)			690
Electronic knob display	(only with E-milk)			
Hot water temperature control				310
Telemetry ready (API service)qwqw				250
International cerification				75
AFTER SALE				
Metal Tamper			KPCNS001	82

NUOVA AURELIA VOL



STANDARD COLORS

- Black
- Red
- White
- Metallic Grey

Traditional coffee machine; the material is stainless steel + abs, sliding drip tray, boiler insulation, SIS Soft infusion System, E-Steam with Electronic knob, Hot Water Economizer, Three hot water dosage, automatic cleaning program, Raised group (optional), Double wall steam wand (optional), Group display (optional), Led lights kit (optional), Electrical programmable cup warmer (optional), motor cooling system (optional), E-Milk Technology (optional).

MODEL	FEATURES	CODE	PRICE €
2 Gr	Steam boiler: Lt. 10; Power: 4700W; Voltage: 220-240V; Frequency: 50/60Hz; Dim.(WxDxH):820x562x515 mm; Net/Gross weight: 78/84 Kg;	MNAURE1VOL02	6.690
3 Gr	Steam boiler: Lt. 15; Power: 5200W; Voltage: 380-415V; Frequency: 50/60Hz; Dim.(WxDxH):1030x562x515 mm; Net/Gross weight: 92/102 Kg;	MNAURE1VOL03	8.100

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version				
Double wall steam wand				120
Group display		2 Gr		150
		3 Gr		225
Led lights kit		2 Gr		235
		3 Gr		270
Electrical programmable cup warmer	Full Gel System	2 Gr		280
		3 Gr		365
Motor cooling system				120
E-Milk Technology	(only on the right side of the machine)			690
Electronic knob display	(only with E-milk)			
Telemetry ready (API service)				250
International cerification				75
AFTER SALE				
Metal Tamper			KPCNS001	82

NUOVA AURELIA SEM XT



STANDARD COLORS

- Black
- Red
- White
- Metallic Grey

Traditional coffee machine with XT technology; the material is stainless steel + abs, Display touchscreen 2,8", sliding drip tray, boiler insulation, SIS Soft infusion System, E-Steam with Electronic knob, Hot Water Economizer, Three hot water dosage, automatic cleaning program, PID, Raised group (optional), Auto purge (optional), Double wall steam wand (optional), Group display (optional), Led lights kit (optional), Electrical programmable cup warmer (optional), motor cooling system (optional), E-Milk Technology (optional), Hot water temperature control (optional).

MODEL	FEATURES	CODE	PRICE €
2 Gr	Steam boiler: Lt. 10; Power: 4700W; Voltage: 220-240V; Frequency: 50/60Hz; Dim.(WxDxH):820x562x515 mm; Net/Gross weight: 78/84 Kg;	MNAURE1SDG02	5.890
3 Gr	Steam boiler: Lt. 15; Power: 5200W; Voltage: 380-415V; Frequency: 50/60Hz; Dim.(WxDxH):1030x562x515 mm; Net/Gross weight: 92/102 Kg;	MNAURE1SDG03	6.800

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version				
Autopurge		2 Gr		205
		3 Gr		310
Double wall steam wand				120
Group display		2 Gr		150
		3 Gr		225
Led lights Kits		2 Gr		235
		3 Gr		270
Electrical programmable cup warmer	Full Gel System	2 Gr		280
		3 Gr		365
Motor cooling system				120
E-Milk Technology	(only on the right side of the machine)			690
Electronic knob display	(only with E-milk)			
Hot water temperature control				310
Telemetry ready (API service)				250
International cerification				75
AFTER SALE				
Metal Tamper			KPCNS001	82

NUOVA AURELIA SEM



STANDARD COLORS

- Black
- Red
- White
- Metallic Grey

Traditional coffee machine, the material is stainless steel + abs, sliding drip tray, boiler insulation, SIS Soft infusion System, E-Steam with Electronic knob, Hot Water Economizer, Three hot water dosage, automatic cleaning program, Raised group (optional), Double wall steam wand (optional), Group display (optional), Led lights kit (optional), Electrical programmable cup warmer (optional), motor cooling system (optional), E-Milk Technology (optional).

MODEL	FEATURES	CODE	PRICE €
2 Gr	Steam boiler: Lt. 10; Power: 4700W; Voltage: 220-240V; Frequency: 50/60Hz; Dim.(WxDxH):820x562x515 mm; Net/Gross weight: 78/84 Kg;	MNAURE1SEM02	5.370
3 Gr	Steam boiler: Lt. 15; Power: 5200W; Voltage: 380-415V; Frequency: 50/60Hz; Dim.(WxDxH):1030x562x515 mm; Net/Gross weight: 92/102 Kg;	MNAURE1SEM03	6.280

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version				
Double wall steam wand				120
Group display		2 Gr		150
		3 Gr		225
Led lights kit		2 Gr		235
		3 Gr		270
Electrical programmable cup warmer	Full Gel System	2 Gr		280
		3 Gr		365
Motor cooling system				120
E-Milk Technology	(only on the right side of the machine)			690
Electronic knob display	(only with E-milk)			
Telemetry ready (API service)				250
International cerification				75
AFTER SALE				
Metal Tamper			KPCNS001	82

AURELIA WAVE T3



STANDARD COLORS

■ Black

■ Red

□ White

Traditional coffee machine with T3 technology; TOUCH display, shot time; Single programmable temperature for each group; Insulated boilers; SIS infusion system; Led lights on the steam wand; Volumetric dosage; 2 stainless steel "cool touch" steam wands; 1 hot water wand with economizer; External regulation of the pump pressure; USB slot; Raised groups (optional); Pulse-jet technology; Nanotech portafilters; Complete LED kit; 3 hot water temperatures; Hot water temperature control (optional); Electrical programmable cup warmer (optional); "Easy Cream" steam wand (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Pulse jet technology; Steam boiler: Lt. 11; Power: 6500W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):802x605x537 mm; Net/Gross weight: 80/86 Kg;	V 230V	MAURE18VT302	11.685
		V 380V	MAURE18VT302	
3 Gr	Pulse jet technology; Steam boiler: Lt. 17; Power: 8000W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):1032x605x537 mm; Net/Gross weight: 95/105 Kg;	V 230V	MAURE18VT303	13.320
		V 380V	MAURE18VT303	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	Without platform for cups			
Auto-purge		2 Gr		215
		3 Gr		320
Hot water temperature control		2 Gr		320
		3 Gr		
Electrical programmable cup warmer	Full Gel system	2 Gr		290
		3 Gr		380
International cerification				75
Telemetry ready (API service)				250
"Easy cream" steam wand	Electrical milk temperature control; Possibility of 2 nozzles	each		590

AFTER SALE

"Cool Touch Inox Tech" steam wand			KLVCTI06	135
Raised base	for cups		03001778	28
Metal Tamper			KPCNS001	82

AURELIA WAVE



STANDARD COLORS

■ Black

■ Red

□ White

Traditional coffee machine; LED lights on the steam wand (optional); Volumetric dosage (versions "V" and "digit") or manual (version "S"); 2 stainless steel steam wands; Easy cream steam wand (optional); 1 hot water wand with economizer; Electrical programmable cup warmer (optional); Raised groups version (optional); Automatic cleaning system (vers. "Digit", "V"); USB slot (vers. "V", "Digit"); TFT (vers. "V"); Shot time (vers. "Digit"); 3 hot water temperatures; Hot water temperature control (optional vers. "digit"); Auto-purge (optional vers. "Digit"); Nanotech portafilter (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Boiler: Lt. 11; Power: 4700W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 802x605x537 mm; Net/Gross weight: 78/84 Kg;	S 230V	MAURE18SEM02	5.380
		S 380V	MAURE18SEM02	
		V 230V	MAURE18VOL02	7.230
		V 380V	MAURE18VOL02	
		DIGIT 230V	MAURE18VDG02	9.000
		DIGIT 380V	MAURE18VDG02	
3 Gr	Boiler: Lt. 17; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 1032x605x537 mm; Net/Gross weight: 92/102 Kg;	S 230V	MAUR18SEM03	6.290
		S 380V	MAUR18SEM03	
		V 230V	MAURE18VOL03	8.590
		V 380V	MAURE18VOL03	
		DIGIT 230V	MAURE18VDG03	10.450
		DIGIT 380V	MAURE18VDG03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	Without platform for cups			
Auto-purge	Only for "Digit" version	2 Gr		215
		3 Gr		320
LED lights	Versions "S" e "V"	2 Gr		185
		3 Gr		215
LED lights	Version "Digit"	2 Gr		245
		3 Gr		280
Hot water temperature control	Only for Aurelia "Digit"	2 Gr		320
		3 Gr		
Electrical programmable cup warmer	Full Gel system	2 Gr		290
		3 Gr		380
International certification				75
"Easy cream" steam wand	Electrical milk temperature control Possibility of 2 nozzles	each		590
AFTER SALE				
"Cool Touch" steam wand kit			KLVCT005	105
"Cool Touch Inox Tech" steam wand			KLVCTI06	135
Metal tamper	Ergonomic, metal, and height adjustable		KPCNS001	82
Telemetry ready (API service)	Version "V" and "digit"		KWIFI009	250
Raised base	For cups		03001778	28

APPIA LIFE XT



STANDARD COLORS

- Painted Black
- Painted Red
- Painted White
- Painted Metallic Grey

Traditional coffee machine; Insulated boilers; Display; PID; SIS system; Volumetric dosage (vers. "V"); lights; Incorporated volumetric pump; 2 stainless steel steam wands with Push&Pull command; 1 hot water wand; Hot water economizer (optional); Electrical cup warmer (optional); Raised groups (optional); Cup warmer rail (optional), Easy cream steam wand (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr XT	Boiler: Lt. 11; Power: 3150W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 784x544x500 mm; Net/Gross weight: 54/66 Kg;	V 230V	MAPP19PLS02	5.715
		V 380V	MAPP19PLS02	
3 Gr XT	Boiler: Lt. 15; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 1014x544x500 mm; Net/Gross weight: 72/85 Kg;	V 230V	MAPP19PLS03	6.770
		V 380V	MAPP19PLS03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	With platform for cups	2 Gr		
		3 Gr		
"Easy cream" steam wand	Electrical milk temperature control; Left or right wand	2 Gr		590
		3 Gr		
Electrical cup warmer		2 Gr		90
		3 Gr		115
Hot water economizer kit	Hot water mixer			105
International certification				75
Special plug	Any plug different from shuko	2 Gr		26
Telemetry ready (API service)				250
Cup warmer rail		2 Gr		200
		3 Gr		220

AFTER SALE

"Cool Touch" steam wand kit			KLVCT004	105
Metal tamper			KPCNS001	82

A P P I A L I F E T I M E R



STANDARD COLORS

- Printed Black (2gr)
- Painted Black (3gr)

Traditional coffee machine; Insulated boilers; Display showing shot time; SIS system; Volumetric dosage (vers. "V"); Incorporated volumetric pump; 2 stainless steel steam wands with Push&Pull command; 1 hot water wand; Hot water economizer (optional); Electrical cup warmer (optional); Raised groups (optional); Cup warmer rail (optional), Easy cream steam wand (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr Timer	Boiler: Lt. 11; Power: 3150W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 784x544x500 mm; Net/Gross weight: 54/66 Kg;	V 230V	MAPPI23TIM02	5.320
		V 380V	MAPPI23TIM02	
3 Gr Timer	Boiler: Lt. 15; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 1014x544x500 mm; Net/Gross weight: 72/85 Kg;	V 230V	MAPPI23TIM03	6.510
		V 380V	MAPPI23TIM03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Colors	Optional painted colors ■ Black ■ Red □ White ■ Metallic Grey	2 Gr		145
Colors	Optional painted colors ■ Red □ White ■ Metallic Grey	3 Gr		145
Raised groups version	With platform for cups	2 Gr		
		3 Gr		
"Easy cream" steam wand	Electrical milk temperature control; Left or right wand	2 Gr		590
		3 Gr		
LED lights kit		2 Gr		90
		3 Gr		120
Electrical cup warmer		2 Gr		90
		3 Gr		115
Hot water economizer kit	Hot water mixer			105
International certification				75
Special plug	Any plug different from shuko	2 Gr		26
Cup warmer rail		2 Gr		200
		3 Gr		220

AFTER SALE

"Cool Touch" steam wand kit			KLVCT004	105
Metal tamper			KPCNS001	82
Telemetry ready (API service)	Version "V"		KWIFI007	250

APPIA LIFE



STANDARD COLORS

■ Printed Black (2gr)

■ Painted Black (3gr)

Traditional coffee machine; Insulated boilers; SIS system; Volumetric dosage (vers. "V") or Manual (vers. "S"); Incorporated volumetric pump; 2 stainless steel steam wands with Push&Pull command; 1 hot water wand with; Hot water economizer (optional); Electrical cup warmer (optional); Raised groups (optional); Cup warmer rail (optional), Easy cream steam wand (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Boiler: Lt. 11; Power: 3150W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):784x544x500 mm; Net/Gross weight: Kg. 54/66;	S 230V	MAPPI19SEM02	3.925
		S 380V	MAPPI19SEM02	
		V 230V	MAPPI19VOL02	5.070
		V 380V	MAPPI19VOL02	
3 Gr	Boiler: Lt. 15; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):1014x544x500 mm; Net/Gross weight: Kg. 72/85;	S 230V	MAPPI19SEM03	5.200
		S 380V	MAPPI19SEM03	
		V 230V	MAPPI19VOL03	6.250
		V 380V	MAPPI19VOL03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Colors	Optional painted colors  Black  Red  White  Metallic Grey	2 Gr		145
Colors	Optional painted colors  Red  White  Metallic Grey	3 Gr		145
Raised groups version	With platform for cups	2 Gr		
		3 Gr		
"Easy cream" steam wand	Electrical milk temperature control; Left or right wand	VOL 2/3 Gr		590
Electrical cup warmer		2 Gr		90
		3 Gr		115
Hot water economizer kit	Hot water mixer			105
International certification				75
Special plug	Any plug different from shuko	2 Gr		26
Cup warmer rail		2 Gr		200
		3 Gr		220
AFTER SALE				
"Cool Touch" steam wand kit			KLVCT004	105
Metal tamper			KPCNS001	82
Telemetry ready (API service)	Version "V"		KWIFI007	250

APPIA LIFE COMPACT/ 1 GROUP



STANDARD COLORS

■ Printed Black

Professional compact coffee machine; Insulated boilers; SIS system; Volumetric dosage (vers. "V") or Manual (vers. "S"); Incorporated volumetric pump; Stainless steel steam wands with Push&Pull command; Easy cream steam wand (optional); 1 hot water wand; Hot water economizer (optional); stainless steel work surface; Raised groups (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
Compact	Boiler: Lt. 7,5; Power: 2900W (230) /1400W (115) Voltage: 115V/230V; Frequency: 50/60Hz; Dim.(WxDxH): 554x545x498 mm; Net/Gross weight: Kg. 42,5/52,5;	S 115V	MAPPC19SEM02	3.450
		S 230V	MAPPC19SEM02	
		V 115V	MAPPC19VOL02	4.170
		V 230V	MAPPC19VOL02	
1 Gr	Boiler: Lt. 5; Power: 1900W (230) /1400W (115) Voltage: 115V/230V; Frequency: 50/60Hz; Dim.(WxDxH): 404x545x498 mm; Net/Gross weight: Kg. 32,5/41;	S 115V	MAPPI19SEM01	2.300
		S 230V	MAPPI19SEM01	
		V 115V	MAPPI19VOL01	2.805
		V 230V	MAPPI19VOL01	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Colors	Optional painted colors ■ Black ■ Red □ White ■ Metallic Grey	Compact		100
Colors	Optional painted colors ■ Black ■ Red □ White ■ Metallic Grey	1 Gr		88
Raised groups version	With raised base	Compact		
"Easy cream" steam wand	Electrical milk temperature control; Only right wand	VOL		590
Cup warmer		Compact		90
Hot water economizer kit	Hot water mixer	Compact		105
International certification				75
Special plug	Any plug different from shuko			26
AFTER SALE				
"Cool Touch" steam wand kit			KLCT004	105
Metal tamper			KPCNS001	82

GRINDERS GX



GX
STANDARD COLORS
■ Black □ White
■ Metallic Grey

Electronic On-Demand grinder; Long Life Burrs diameter 85 mm; Touch Display; Total/partial dose counter; N. 3 scenarios; N. 3 programmable doses; Manual addition; Stop&Go function; "Barista" function; Micrometric grinding regulation; Clima Pro 2.0 technology; Bean hopper extraction safety system;

MODEL	FEATURES	CODE	PRICE €
GX85	Bean Hopper Capacity: 2 Kg; Burrs: Long Life Ø = 85 mm; Power: 750W (115V) / 650W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested: 12Kg; Dim.(WxDxH): 202x416x518 mm; Net/gross weight: 21/23,5 Kg	AGXNS00FTID85	2.870

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Filter coffee kit		GX85W	KCFM0001	120
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer;		KCS00003	180
Special plug	Any plug different from shuko			26
Rubber mat			15030235	66

GRINDERS

ON DEMAND



MDJ
STANDARD COLORS
■ Black □ White ■ Red
■ Metallic Grey



MDXS
STANDARD COLORS
■ Black □ White ■ Red
■ Metallic Grey



MDXS CORE
STANDARD COLORS
■ Black □ White ■ Red

MODEL	FEATURES	VERSION		CODE	PRICE €
MDJ	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 1,6 Kg; Burrs: Long Life Ø = 75 mm; Power: 750W (115V)/575W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested: 5 Kg; Dim. (WxDxH): 215x290x605 mm; Net weight: 15 Kg;	Standard	Black	AMDJ000ONDD75	1.290
		High Speed			
		Standard	White		
		High Speed			
		Standard	Red		
		High Speed			
		Standard	Metallic Grey		
		High Speed			

MODEL	FEATURES	VERSION	CODE	PRICE €
MDXS	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 1,6 Kg; Burrs: ø 65 mm; Grinding speed (sec/dose): 2g/s; Power: 400W(115V) /350W (230V); Voltage: 115/230V; Frequency: 50/60Hz; Maximum daily production suggested: 4 Kg; Dim. (WxDxH): 212x290x601 mm; Net weight: 10 Kg;	Black	AMDXS00ONDD65	960
		White		
		Red		
		Metallic Grey		

MODEL	FEATURES	VERSION	CODE	PRICE €
MDXS CORE 23	Micrometric grinding regulation; LCD display; Adjustable dosage; Bean Hopper Capacity: 1,5 Kg; Burrs: ø 65 mm; Grinding speed (sec/dose): 2g/s; Power: 400W(115V) /350W (230V); Voltage: 115/230V; Frequency: 50/60Hz; Maximum daily production suggested: 4 Kg; Dim. (WxDxH): 212x290x601 mm; Net weight: 10 Kg;	Black	AMDXS01ONDD65	800

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer		KCS00003	180
Special plug	Any plug different from shuko			26

GRINDERS



MDJ
STANDARD COLORS
■ Black □ White ■ Red



MDK
STANDARD COLORS
■ Black □ White ■ Red



MDKR
STANDARD COLORS
■ Black □ White ■ Red



MDXS
STANDARD COLORS
■ Black □ White ■ Red

MODEL	FEATURES	VERSION	CODE	PRICE €
MDJ	Professional grinder; Micrometric grinding regulation; Bean Hopper Capacity: 1,6 Kg; Burr: Long Life Ø = 75 mm; Power: 750W (115V)/575W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested: 5 Kg; Dim. (WxDxH): 215x350x605 mm; Net weight: 16 Kg;	115V	AMJAS75*1	1.090
		230V	AMJAS75*2	1.090

MODEL	FEATURES	VERSION	CODE	PRICE €
MDK	Professional grinder; Micrometric grinding regulation; Bean Hopper Capacity: 1,6 Kg; Tempered steel conic burrs: 13/68 mm; Maximum daily production suggested: 10 Kg; Power: 600W (380V)/420W (230V); Voltage: 380V; Frequency: 50/60Hz; Dim. (WxDxH): 235x330x585mm; Net weight: 17 Kg;	380v	AMKCS60*4	1.300

MODEL	FEATURES	VERSION	CODE	PRICE €
MDKR	Professional grinder; Micrometric grinding regulation; Bean Hopper Capacity: 1,6 Kg; Tempered steel conic burrs: 13/68 mm; Maximum daily production suggested: 10 Kg; Power: 750W (380V); Voltage: 380V; Frequency: 50/60Hz; Dim. (WxDxH): 235x330x585mm; Net weight: 17 Kg;	380V	AMKRCS60*4	1.710

MODEL	FEATURES	VERSION		CODE	PRICE €
MDXS	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 1,6 Kg; Burr: Ø 65 mm; Power: 400W(115V) /350W (230V); Voltage: 115/230V; Frequency: 50/60Hz; Maximum daily production suggested: 4 Kg; Dim. (WxDxH): 212x290x601 mm; Net weight: 12 Kg;	115V Manual		AMXS 60*1	730
		230V Manual		AMXS 60*2	685
		115V Automatic	Black	AMXSA 6021	795
			White	AMXSA 6031	
			Red	AMXSA 6001	
		230V Automatic	Black	AMXSA 6022	755
			White	AMXSA 6032	
			Red	AMXSA 6002	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer;		KCS00003	180
Special plug	Any plug different from shuko			26

GRINDERS

ON DEMAND



DUO
STANDARD COLORS
■ Black ■ Taupe ■ Red
■ Guacamole



GRINTA
STANDARD COLORS
■ Black ■ Red ■ Chrome

MODEL	FEATURES	VERSION		CODE	PRICE €
Duo	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 450 gr Burr: Ø 55 mm; Maximum daily production suggested: 0,5Kg; Power: 310W Voltage: 115/230V; Frequency :50/60Hz; Dim. (WxDxH): 120x186x337 mm; Net/gross weight: 5,6 Kg;	Black	115V	ADU00000NDD55	510 +
			230V	ADU00000NDD55	490 +
		Guacamole	115V	ADU00000NDD55	530 +
			230V	ADU00000NDD55	510 +
		Taupe	115V	ADU00000NDD55	530 +
			230V	ADU00000NDD55	510 +
		Red	115V	ADU00000NDD55	530 +
			230V	ADU00000NDD55	510 +

* pricelist prosumer

MODEL	FEATURES	VERSION		CODE	PRICE €
GRINTA	On demand semi-professional grinder; Micrometric regulation; Electronic dosage (Mod. AMMT); Bean Hopper Capacity: 0,5 Kg; Flat burrs: Ø 50 mm; Maximum daily production suggested: 0,5 Kg; Power: 220 W; Voltage: 115/230V; Frequency:50/60Hz; Dim. (WxDxH): 140x210x420 mm; Net weight: 3,6 Kg;	115V Manual	Black Red	AGRINTASEM00	295
			Chrome	AGRINTASEM00	315
		230V Manual	Black Red	AGRINTASEM00	280
			Chrome	AGRINTASEM00	300
		115V Automatic	Black Red	AGRINTATEM00	305
			Chrome	AGRINTATEM00	325
		230V Automatic	Black Red	AGRINTATEM00	295
			Chrome	AGRINTATEM00	315

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer		KCS00003	180
Special plug	Any plug different from shuko			26

PRONTOBAR TOUCH

Super automatic machine with thermal controlled extractable metal group; Direct connection and tank in a sole version; 7inch Touch Display; 5 languages; 24 programmable drinks; Volumetric pump; incorporated cappuccino maker; 2 incorporated grinders (diameter 50 mm); Long Life burrs; 0.8 kg Bean hopper; Insulated double boiler; Extractable and adjustable height nozzle; Stainless steel body and ABS; Hourly production up to 140 coffees and 100 cappuccinos; USB slot; Easy Cream (optional); Hot water steam wand in stainless steel.



STANDARD COLORS

■ Black

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Grinders	Group: Ø 43 mm; N. grinders: 2 (diameter 50mm); Coffee Boiler: Lt. 0,8; Steam Boiler: Lt. 1,5; Water tank capacity: 5lt; Direct attachment to water supply; Power: 2700W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 326x520x622 mm; Net/Gross weight: 40/45 Kg;	230V	MPROTFTCAP21	6.850
Prontofrigo	Fridge compressor; Refrigerating gas R134a; Capacity: Lt. 7; Power: 100W; Electronic temperature control with LCD display; Voltage: 230V; Frequency: 50/60Hz; Dim.(WxDxH): 270x400x490 mm; Net/Gross weight: 17 Kg;	230V Inox	KFP30201	1.240

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Cup warmer module	Power 200W; Voltage 230V – 50 Hz; Dim. (WxDxH) 250x295x480mm; Net weight 7.3 Kg.	Inox	ASCMICRO30.1	580
"Easy Cream" steam wand				590
WIFI module			KWIFI006	250
International certification				75
Direct drainage drawer	Direct drainage			25
Special plug	Any plug different from shuko			26
AFTER SALE				
Kit "Cool Touch" steam wand			KLVCT002	105

PRONTOBAR SILENT



STANDARD COLORS

■ Black

Super automatic compact machine with thermal controlled extractable metal group; Volumetric pump; Incorporated cappuccino maker; 1 or 2 incorporated grinders (diameter 50 mm); 0.8 kg Bean hopper; Insulated double boiler; Extractable and adjustable height nozzle; Stainless steel steam wand with Autosteam system (optional); LCD multifunction display; Extractable water tank or direct attachment to the water system (Vers. AD); Stainless steel body and ABS; Daily production up to 140 coffees and 70 cappuccinos; Hot water steam wand in stainless steel.

MODEL	FEATURES	VERSION	CODE	PRICE €
1 Grinder	Group Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Water tank capacity: Lt. 5; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 37/43 Kg;	230V	MPROB17CAP11	4.465
1 Grinder AD	Group Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Direct connection to water supply; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 37/43 Kg;	230V	MPROB17CAP11	4.465
2 Grinders	Group Ø 43 mm; N. Grinders: 2 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Water tank capacity: 5lt; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 40/45 Kg;	230V	MPROB17CAP21	4.870
2 Grinders AD	Group Ø 43 mm; N. Grinders: 2 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Direct attachment to water system; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 40/45 Kg;	230V	MPROB17CAP21	4.870
Prontofrigo	Fridge compressor; Refrigerating gas R134a; Capacity: Lt.7; Power: 100W; Electronic temperature control with LCD display; Voltage: 230V; Frequency: 50/60 Hz; Dim.(WxDxH): 270x400x490 mm; Net weight: 17 Kg;	230V Inox	KFP30201	1.240

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Cup warmer module	Power 200W; Voltage 230V – 50 Hz; Dim WxDxH 250x295x480; Net weight 7.3 Kg.	Inox	ASCMICRO30.1	580
"Smart wand" steam nozzle	With electronic control of milk temperature			335
Hot water extension				60
Direct drainage drawer	Direct drainage			25
International certification				75
Special plug	Any plug different from shuko			26
AFTER SALE				
Kit "Cool Touch" steam wand			KLVCT002	105



Simonelli Group s.p.a.

Via E. Betti, 1 - 62020 Belforte del Chienti - (MC) Italy

Tel. +39 0733.950243 - Fax +39 0733.850247

e-mail: info@nuovasimonelli.it | www.nuovasimonelli.com